

Number of cases and incidence rates by sex and year of diagnosis

Cervix (C53)

Female

Year of diagnosis	Number of cases	Percentage of all cancers ex. NMSC	Crude rate per 100,000 females	European age standardised incidence rate per 100,000 females (95% CI)	World age standardised incidence rate per 100,000 females (95% CI)
1993	83	2.6	9.9	10.3 (8.1,12.6)	8.0 (6.2,9.8)
1994	76	2.4	9.0	9.3 (7.2,11.4)	7.5 (5.7,9.2)
1995	86	2.7	10.2	11.0 (8.6,13.3)	8.9 (7.0,10.8)
1996	93	2.8	10.9	11.2 (8.9,13.6)	9.1 (7.2,11.0)
1997	84	2.6	9.8	9.8 (7.6,11.9)	7.9 (6.1,9.6)
1998	80	2.4	9.3	9.3 (7.2,11.3)	7.6 (5.9,9.3)
1999	76	2.3	8.8	8.8 (6.8,10.8)	6.9 (5.3,8.6)
2000	96	2.8	11.1	11.0 (8.7,13.2)	8.9 (7.0,10.7)
2001	71	2.2	8.2	8.1 (6.2,10.0)	6.8 (5.1,8.4)
2002	82	2.4	9.4	9.3 (7.2,11.3)	7.6 (5.9,9.3)
2003	74	2.1	8.5	8.3 (6.4,10.2)	7.0 (5.3,8.6)
2004	77	2.1	8.8	8.3 (6.4,10.2)	6.8 (5.2,8.4)
2005	88	2.4	10.0	9.7 (7.6,11.8)	8.3 (6.5,10.1)
2006	104	2.8	11.7	11.5 (9.2,13.7)	9.7 (7.7,11.6)
2007	89	2.3	9.9	9.8 (7.7,11.8)	8.7 (6.8,10.5)
2008	126	3.2	13.9	13.5 (11.1,15.9)	11.9 (9.7,14.0)

All persons

Year of diagnosis	Number of cases	Percentage of all cancers ex. NMSC	Crude rate per 100,000 persons	European age standardised incidence rate per 100,000 persons (95% CI)	World age standardised incidence rate per 100,000 persons (95% CI)
1993	83	1.3	5.1	5.5 (4.3,6.7)	4.2 (3.2,5.1)
1994	76	1.2	4.6	4.8 (3.7,5.9)	3.9 (3.0,4.8)
1995	86	1.4	5.2	5.7 (4.5,6.9)	4.6 (3.6,5.6)
1996	93	1.4	5.6	5.9 (4.6,7.1)	4.7 (3.7,5.7)
1997	84	1.3	5.0	5.1 (4.0,6.2)	4.1 (3.2,5.0)
1998	80	1.2	4.8	4.8 (3.7,5.9)	3.9 (3.0,4.8)
1999	76	1.2	4.5	4.6 (3.5,5.6)	3.6 (2.8,4.4)
2000	96	1.5	5.7	5.7 (4.5,6.9)	4.6 (3.6,5.5)
2001	71	1.1	4.2	4.2 (3.2,5.2)	3.5 (2.6,4.3)
2002	82	1.2	4.8	4.8 (3.7,5.8)	3.9 (3.0,4.8)
2003	74	1.0	4.3	4.3 (3.3,5.3)	3.6 (2.7,4.4)
2004	77	1.1	4.5	4.3 (3.3,5.3)	3.5 (2.7,4.3)
2005	88	1.2	5.1	5.0 (3.9,6.0)	4.2 (3.3,5.1)
2006	104	1.4	6.0	5.9 (4.7,7.0)	4.9 (4.0,5.9)
2007	89	1.1	5.1	5.0 (3.9,6.0)	4.4 (3.5,5.3)
2008	126	1.6	7.1	6.9 (5.7,8.1)	6.0 (5.0,7.1)

NOTES:

NMSC: Non-melanoma skin cancer

CI: Confidence interval

Cervix (C53)

(Trends in number of cases per year)



Cervix (C53)

(Trends in age-standardised incidence rates)

