

**Number of cases and incidence rates by sex and year of diagnosis**  
**Childhood cancer (Ages 0-14) - All cancers combined (C00-C97)**

<b>Male</b>				
<b>Year of diagnosis</b>	<b>Number of cases</b>	<b>Crude rate per 100,000 males</b>	<b>European age standardised incidence rate per 100,000 males aged 0-14 (95% CI)</b>	<b>World age standardised incidence rate per 100,000 males aged 0-14 (95% CI)</b>
1993	27	13.4	13.8 (8.6,19.1)	14.0 (8.7,19.3)
1994	30	15.0	15.6 (10.0,21.2)	16.0 (10.2,21.8)
1995	28	14.0	14.5 (9.1,19.8)	14.7 (9.2,20.2)
1996	38	19.1	19.3 (13.2,25.5)	19.5 (13.2,25.8)
1997	32	16.1	16.8 (11.0,22.7)	17.2 (11.1,23.2)
1998	26	13.2	13.4 (8.2,18.6)	13.5 (8.3,18.8)
1999	26	13.3	13.3 (8.2,18.4)	13.3 (8.1,18.5)
2000	28	14.5	14.8 (9.3,20.3)	15.0 (9.4,20.6)
2001	20	10.5	10.8 (6.0,15.6)	11.0 (6.1,15.8)
2002	27	14.4	15.3 (9.5,21.1)	15.7 (9.7,21.7)
2003	25	13.5	13.8 (8.3,19.2)	13.9 (8.3,19.4)
2004	19	10.4	10.5 (5.7,15.2)	10.6 (5.8,15.5)
2005	25	13.7	14.1 (8.5,19.7)	14.1 (8.5,19.8)
2006	18	9.9	10.3 (5.5,15.0)	10.4 (5.5,15.3)
2007	40	22.0	23.0 (15.8,30.1)	23.6 (16.2,31.0)
2008	24	13.1	13.6 (8.2,19.1)	14.0 (8.3,19.6)

<b>Female</b>				
<b>Year of diagnosis</b>	<b>Number of cases</b>	<b>Crude rate per 100,000 females</b>	<b>European age standardised incidence rate per 100,000 females aged 0-14 (95% CI)</b>	<b>World age standardised incidence rate per 100,000 females aged 0-14 (95% CI)</b>
1993	26	13.5	14.1 (8.7,19.5)	14.5 (8.9,20.1)
1994	25	13.0	13.4 (8.1,18.7)	13.9 (8.4,19.3)
1995	19	10.0	10.4 (5.7,15.1)	10.6 (5.8,15.4)
1996	26	13.7	14.1 (8.7,19.6)	14.4 (8.8,20.0)
1997	24	12.7	13.0 (7.8,18.2)	13.1 (7.8,18.4)
1998	20	10.7	11.6 (6.5,16.7)	12.1 (6.7,17.4)
1999	19	10.2	10.6 (5.8,15.4)	10.8 (5.9,15.8)
2000	13	7.1	7.4 (3.3,11.4)	7.5 (3.4,11.7)
2001	20	11.1	11.1 (6.2,16.1)	11.1 (6.1,16.0)
2002	21	11.8	12.1 (6.9,17.3)	12.4 (7.0,17.7)
2003	29	16.5	17.4 (11.0,23.8)	17.7 (11.1,24.2)
2004	20	11.5	12.2 (6.8,17.6)	12.4 (6.9,17.9)
2005	19	11.0	10.8 (5.9,15.7)	10.7 (5.8,15.6)
2006	29	16.8	17.1 (10.8,23.4)	17.3 (10.9,23.6)
2007	18	10.4	10.8 (5.8,15.8)	11.0 (5.9,16.2)
2008	16	9.2	9.3 (4.8,13.9)	9.4 (4.8,14.1)

<b>All persons</b>				
<b>Year of diagnosis</b>	<b>Number of cases</b>	<b>Crude rate per 100,000 persons</b>	<b>European age standardised incidence rate per 100,000 persons aged 0-14 (95% CI)</b>	<b>World age standardised incidence rate per 100,000 persons aged 0-14 (95% CI)</b>
1993	53	13.5	14.0 (10.2,17.7)	14.2 (10.4,18.1)
1994	55	14.0	14.5 (10.7,18.4)	14.9 (11.0,18.9)
1995	47	12.1	12.5 (8.9,16.1)	12.7 (9.0,16.4)
1996	64	16.5	16.8 (12.7,20.9)	17.0 (12.8,21.2)
1997	56	14.5	15.0 (11.0,18.9)	15.2 (11.1,19.2)
1998	46	12.0	12.5 (8.9,16.2)	12.8 (9.1,16.6)
1999	45	11.8	12.0 (8.5,15.5)	12.1 (8.5,15.7)
2000	41	10.9	11.2 (7.7,14.6)	11.3 (7.8,14.9)
2001	40	10.8	11.0 (7.5,14.4)	11.0 (7.5,14.5)
2002	48	13.1	13.7 (9.8,17.7)	14.1 (10.1,18.1)
2003	54	15.0	15.5 (11.4,19.7)	15.7 (11.4,20.0)
2004	39	10.9	11.3 (7.7,14.9)	11.5 (7.8,15.2)
2005	44	12.4	12.5 (8.8,16.2)	12.5 (8.7,16.2)
2006	47	13.3	13.6 (9.7,17.5)	13.7 (9.8,17.7)
2007	58	16.4	17.0 (12.6,21.5)	17.5 (12.9,22.0)
2008	40	11.2	11.5 (8.0,15.1)	11.8 (8.1,15.4)

**NOTES:**

NMSC: Non-melanoma skin cancer

CI: Confidence interval

# Childhood cancer (Ages 0-14) - All cancers combined (C00-C97)

(Trends in number of cases per year)



# Childhood cancer (Ages 0-14) - All cancers combined (C00-C97)

(Trends in age-standardised incidence rates)

