

Number of cases and incidence rates by sex and year of diagnosis
Malignant melanoma (C43)

Male						
Year of diagnosis	Number of cases	Percentage of all cancers ex.		Crude rate per 100,000 males	European age standardised incidence rate per 100,000 males (95% CI)	World age standardised incidence rate per 100,000 males (95% CI)
		NMSC	NMSC			
1993	58	1.9	7.3	8.3 (6.2,10.5)	6.2 (4.6,7.8)	
1994	68	2.2	8.5	9.2 (7.0,11.5)	7.2 (5.4,8.9)	
1995	68	2.2	8.5	9.3 (7.1,11.6)	6.8 (5.2,8.5)	
1996	69	2.2	8.5	9.4 (7.2,11.6)	7.2 (5.5,9.0)	
1997	66	2.2	8.1	8.8 (6.6,10.9)	6.4 (4.8,8.0)	
1998	62	2.0	7.6	8.1 (6.1,10.2)	6.0 (4.4,7.5)	
1999	69	2.3	8.4	8.7 (6.6,10.8)	6.3 (4.8,7.9)	
2000	75	2.4	9.1	9.7 (7.5,12.0)	7.5 (5.8,9.3)	
2001	88	2.7	10.7	11.0 (8.7,13.3)	8.3 (6.5,10.1)	
2002	101	3.0	12.2	12.5 (10.0,14.9)	9.5 (7.6,11.4)	
2003	83	2.4	10.0	10.3 (8.1,12.5)	7.6 (6.0,9.3)	
2004	108	3.0	12.9	12.8 (10.4,15.3)	9.3 (7.5,11.2)	
2005	99	2.7	11.7	11.7 (9.4,14.0)	8.8 (7.0,10.6)	
2006	107	2.8	12.5	12.4 (10.0,14.7)	9.0 (7.3,10.8)	
2007	95	2.4	11.0	10.7 (8.5,12.9)	8.3 (6.5,10.0)	
2008	136	3.3	15.6	15.0 (12.5,17.6)	11.0 (9.1,12.9)	

Female						
Year of diagnosis	Number of cases	Percentage of all cancers ex.		Crude rate per 100,000 females	European age standardised incidence rate per 100,000 females (95% CI)	World age standardised incidence rate per 100,000 females (95% CI)
		NMSC	NMSC			
1993	124	3.9	14.8	14.0 (11.5,16.6)	11.5 (9.4,13.7)	
1994	110	3.5	13.1	12.6 (10.2,15.1)	10.0 (8.0,12.0)	
1995	101	3.2	12.0	11.4 (9.1,13.8)	9.1 (7.2,11.0)	
1996	105	3.2	12.3	12.0 (9.6,14.3)	9.6 (7.6,11.5)	
1997	94	2.9	11.0	10.5 (8.3,12.7)	8.7 (6.9,10.6)	
1998	115	3.5	13.4	12.1 (9.8,14.5)	9.2 (7.3,11.0)	
1999	110	3.3	12.8	12.2 (9.9,14.6)	9.9 (8.0,11.9)	
2000	112	3.3	13.0	12.0 (9.7,14.3)	9.2 (7.4,11.1)	
2001	130	4.0	15.0	13.6 (11.2,16.1)	10.5 (8.5,12.4)	
2002	146	4.2	16.8	15.7 (13.1,18.3)	12.4 (10.2,14.6)	
2003	129	3.6	14.8	13.3 (10.9,15.6)	10.2 (8.3,12.0)	
2004	136	3.7	15.6	14.5 (12.0,17.0)	11.5 (9.4,13.5)	
2005	132	3.6	15.0	13.4 (11.1,15.8)	10.8 (8.8,12.8)	
2006	151	4.1	17.0	15.4 (12.9,17.9)	12.2 (10.1,14.3)	
2007	139	3.6	15.5	13.9 (11.5,16.2)	11.1 (9.1,13.1)	
2008	161	4.0	17.8	16.2 (13.7,18.8)	12.8 (10.7,14.9)	

All persons						
Year of diagnosis	Number of cases	Percentage of all cancers ex.		Crude rate per 100,000 persons	European age standardised incidence rate per 100,000 persons (95% CI)	World age standardised incidence rate per 100,000 persons (95% CI)
		NMSC	NMSC			
1993	182	2.9	11.1	11.2 (9.6,12.9)	8.9 (7.5,10.2)	
1994	178	2.9	10.8	11.1 (9.4,12.7)	8.7 (7.3,10.0)	
1995	169	2.7	10.2	10.4 (8.8,12.0)	8.0 (6.7,9.2)	
1996	174	2.7	10.5	10.7 (9.1,12.3)	8.4 (7.1,9.7)	
1997	160	2.5	9.6	9.5 (8.0,11.0)	7.5 (6.3,8.7)	
1998	177	2.7	10.5	10.3 (8.7,11.8)	7.6 (6.4,8.8)	
1999	179	2.8	10.7	10.3 (8.8,11.8)	8.1 (6.8,9.3)	
2000	187	2.9	11.1	11.0 (9.4,12.5)	8.4 (7.2,9.7)	
2001	218	3.3	12.9	12.3 (10.6,14.0)	9.4 (8.1,10.7)	
2002	247	3.6	14.6	14.0 (12.3,15.8)	10.9 (9.5,12.4)	
2003	212	3.0	12.5	11.9 (10.3,13.6)	9.0 (7.7,10.2)	
2004	244	3.4	14.3	13.4 (11.7,15.1)	10.3 (8.9,11.7)	
2005	231	3.2	13.4	12.5 (10.9,14.2)	9.8 (8.4,11.1)	
2006	258	3.5	14.8	13.8 (12.1,15.6)	10.6 (9.2,11.9)	
2007	234	3.0	13.3	12.3 (10.7,13.9)	9.7 (8.4,11.0)	
2008	297	3.7	16.7	15.4 (13.6,17.2)	11.8 (10.4,13.2)	

NOTES:

NMSC: Non-melanoma skin cancer

CI: Confidence interval

Malignant melanoma (C43) (Trends in number of cases per year)



Malignant melanoma (C43)

(Trends in age-standardised incidence rates)

