N. Ireland Cancer Registry Implications of Research for Services

Paper Title Cumulative financial stress as a potential risk factor for cancer-related fatigue among prostate cancer survivors Liya Lu, Anna Gavin, Frances J. Drummond, Linda Sharp Journal Journal of Cancer Survivorship 10.1007/s11764-020-00906-7 Funders Health Research Board, Prostate Cancer UK Full paper available online YES ☑ NO ☐ NOT YET ☐ Conclusion Cancer-related fatigue (CRF) is the most commonly reported treatment-related side effect of prostate cancer (PCa). Recognition of financial hardship among cancer survivors is growing. In this study two thousand four hundred fifty-eight PCa survivors were included. Of these, 268 (10.9%) reported prodiagnosis financial stress only, 317 (12.9%) post-diagnosis stress only and 270 (11.0%) both pre- and post-diagnosis stress only and 270 (11.0%) both pre- and post-diagnosis stress (cumulative stress); 470 (19.1%) reported clinically important CRF. The paper concluded that financial stress may be an independent risk factor for Cancer Related Fatigue		
Paper ID (Office use only) Date Submitted to NICR Steering Group Click here to enter a date (Office use only) Date Submitted to NICR Steering Group Click here to enter a date (Office use only) Paper Title Cumulative financial stress as a potential risk factor for cancer-related fatigue among prostate cancer survivors Liya Lu, Anna Gavin, Frances J. Drummond, Linda Sharp Journal Journal of Cancer Survivorship DOI 10.1007/s11764-020-00906-7 Funders Health Research Board, Prostate Cancer UK Full paper available online YES NO NOT YET Conclusion Cancer-related fatigue (CRF) is the most commonly reporte treatment-related side effect of prostate cancer (PCa). Recognition of financial hardship among cancer survivors is growing. In this study two thousand four hundred fifty-eight PCa survivors were included. Of these, 268 (10.9%) reported prodiagnosis stress only and 270 (11.0%) both pre- and post-diagnosis stress only and 270 (11.0%) both pre- and post-diagnosis stress only and 270 (11.0%) both pre- and post-diagnosis stress (cumulative stress); 470 (19.1%) reported clinically important CRF. The paper concluded that financial stress may be an independent risk factor for Cancer Related Fatigue Implications for Cancer Survivors There may be benefits in targeting interventions for reducing CRF towards survivors with financial stress, or developing strategies to reduce		
Paper Title Cumulative financial stress as a potential risk factor for cancer-related fatigue among prostate cancer survivors Liya Lu, Anna Gavin, Frances J. Drummond, Linda Sharp Journal Journal Journal of Cancer Survivorship DOI 10.1007/s11764-020-00906-7 Funders Health Research Board, Prostate Cancer UK Full paper available online YES NO NOT YET Conclusion Cancer-related fatigue (CRF) is the most commonly reporte treatment-related side effect of prostate cancer (PCa). Recognition of financial hardship among cancer survivors is growing. In this study two thousand four hundred fifty-eight PCa survivors were included. Of these, 268 (10.9%) post-diagnosis stress only and 270 (11.0%) both pre- and post-diagnosis stress only and 270 (11.0%) both pre- and post-diagnosis stress (cumulative stress); 470 (19.1%) reported clinically important CRF. The paper concluded that financial stress may be an independent risk factor for Cancer Related Fatigue What this means for the service Implications for Cancer Survivors There may be benefits in targeting interventions for reducing CRF towards survivors with financial stress, or developing strategies to reduce		Paper ID
Cumulative financial stress as a potential risk factor for cancer-related fatigue among prostate cancer survivors Liya Lu, Anna Gavin, Frances J. Drummond, Linda Sharp Journal Journal of Cancer Survivorship DOI 10.1007/s11764-020-00906-7 Funders Health Research Board, Prostate Cancer UK Full paper available online YES NO NOTYET □ Conclusion Cancer-related fatigue (CRF) is the most commonly reporte treatment-related side effect of prostate cancer (PCa). Recognition of financial hardship among cancer survivors is growing. In this study two thousand four hundred fifty-eight PCa survivors were included. Of these, 268 (10.9%) reported prodiagnosis financial stress only, 317 (12.9%) post-diagnosis stress (cumulative stress); 470 (19.1%) reported clinically important CRF. The paper concluded that financial stress may be an independent risk factor for Cancer Related Fatigue What this means for the service Implications for Cancer Survivors There may be benefits in targeting interventions for reducing CRF towards survivors with financial stress, or developing strategies to reduce		(Office use only) Date Submitted to NICR Steering Group Click here to enter a date.
Authors Liya Lu, Anna Gavin, Frances J. Drummond, Linda Sharp Journal Journal of Cancer Survivorship DOI 10.1007/s11764-020-00906-7 Funders Health Research Board, Prostate Cancer UK Full paper available online YES NO NOT YET Conclusion Cancer-related fatigue (CRF) is the most commonly reporte treatment-related side effect of prostate cancer (PCa). Recognition of financial hardship among cancer survivors is growing. In this study two thousand four hundred fifty-eight PCa survivors were included. Of these, 268 (10.9%) reported prodiagnosis financial stress only, 317 (12.9%) post-diagnosis stress only and 270 (11.0%) both pre- and post-diagnosis stress (cumulative stress); 470 (19.1%) reported clinically important CRF. The paper concluded that financial stress may be an independent risk factor for Cancer Related Fatigue What this means for the service What this means for the service Inplications for Cancer Survivors There may be benefits in targeting interventions for reducing CRF towards survivors with financial stress, or developing strategies to reduce		
Journal Journal of Cancer Survivorship 10.1007/s11764-020-00906-7 Funders Health Research Board, Prostate Cancer UK Full paper available online YES NO NOTYET Conclusion Cancer-related fatigue (CRF) is the most commonly reporte treatment-related side effect of prostate cancer (PCa). Recognition of financial hardship among cancer survivors is growing. In this study two thousand four hundred fifty-eight PCa survivors were included. Of these, 268 (10.9%) reported prediagnosis financial stress only, 317 (12.9%) post-diagnosis stress only and 270 (11.0%) both pre- and post-diagnosis stress (cumulative stress); 470 (19.1%) reported clinically important CRF. The paper concluded that financial stress may be an independent risk factor for Cancer Related Fatigue What this means for the service Implications for cancer Survivors There may be benefits in targeting interventions for reducing CRF towards survivors with financial stress, or developing strategies to reduce	Paper Title	·
Tunders Health Research Board, Prostate Cancer UK Full paper available online YES NO NOT YET Conclusion Cancer-related fatigue (CRF) is the most commonly reported treatment-related side effect of prostate cancer (PCa). Recognition of financial hardship among cancer survivors is growing. In this study two thousand four hundred fifty-eight PCa survivors were included. Of these, 268 (10.9%) reported prodiagnosis financial stress only, 317 (12.9%) post-diagnosis stress only and 270 (11.0%) both pre- and post-diagnosis stress (cumulative stress); 470 (19.1%) reported clinically important CRF. The paper concluded that financial stress may be an independent risk factor for Cancer Related Fatigue What this means for the service Implications for Cancer Survivors There may be benefits in targeting interventions for reducing CRF towards survivors with financial stress, or developing strategies to reduce	Authors	Liya Lu, Anna Gavin, Frances J. Drummond, Linda Sharp
Funders Health Research Board, Prostate Cancer UK YES NO NOT YET Cancer-related fatigue (CRF) is the most commonly reported treatment-related side effect of prostate cancer (PCa). Recognition of financial hardship among cancer survivors is growing. In this study two thousand four hundred fifty-eight PCa survivors were included. Of these, 268 (10.9%) reported prodiagnosis financial stress only, 317 (12.9%) post-diagnosis stress only and 270 (11.0%) both pre- and post-diagnosis stress (cumulative stress); 470 (19.1%) reported clinically important CRF. The paper concluded that financial stress may be an independent risk factor for Cancer Related Fatigue What this means for the service Implications for Cancer Survivors There may be benefits in targeting interventions for reducing CRF towards survivors with financial stress, or developing strategies to reduce	Journal	Journal of Cancer Survivorship
Full paper available online YES ☑ NO ☑ NOT YET ☑ Conclusion Cancer-related fatigue (CRF) is the most commonly reported treatment-related side effect of prostate cancer (PCa). Recognition of financial hardship among cancer survivors is growing. In this study two thousand four hundred fifty-eight PCa survivors were included. Of these, 268 (10.9%) reported prodiagnosis financial stress only, 317 (12.9%) post-diagnosis stress only and 270 (11.0%) both pre- and post-diagnosis stress (cumulative stress); 470 (19.1%) reported clinically important CRF. The paper concluded that financial stress may be an independent risk factor for Cancer Related Fatigue What this means for the service Implications for Cancer Survivors There may be benefits in targeting interventions for reducing CRF towards survivors with financial stress, or developing strategies to reduce	DOI	10.1007/s11764-020-00906-7
Conclusion Cancer-related fatigue (CRF) is the most commonly reported treatment-related side effect of prostate cancer (PCa). Recognition of financial hardship among cancer survivors is growing. In this study two thousand four hundred fifty-eight PCa survivors were included. Of these, 268 (10.9%) reported prodiagnosis financial stress only, 317 (12.9%) post-diagnosis stress only and 270 (11.0%) both pre- and post-diagnosis stress (cumulative stress); 470 (19.1%) reported clinically important CRF. The paper concluded that financial stress may be an independent risk factor for Cancer Related Fatigue What this means for the service What this means for the service Implications for Cancer Survivors There may be benefits in targeting interventions for reducing CRF towards survivors with financial stress, or developing strategies to reduce	Funders	Health Research Board, Prostate Cancer UK
treatment-related side effect of prostate cancer (PCa). Recognition of financial hardship among cancer survivors is growing. In this study two thousand four hundred fifty-eight PCa survivors were included. Of these, 268 (10.9%) reported prodiagnosis financial stress only, 317 (12.9%) post-diagnosis stress only and 270 (11.0%) both pre- and post-diagnosis stress (cumulative stress); 470 (19.1%) reported clinically important CRF. The paper concluded that financial stress may be an independent risk factor for Cancer Related Fatigue What this means for the service What this means for the service Implications for Cancer Survivors There may be benefits in targeting interventions for reducing CRF towards survivors with financial stress, or developing strategies to reduce	Full paper available online	YES NO NOT YET
targeting interventions for reducing CRF towards survivors with financial stress, or developing strategies to reduce		Recognition of financial hardship among cancer survivors is growing. In this study two thousand four hundred fifty-eight PCa survivors were included. Of these, 268 (10.9%) reported prediagnosis financial stress only, 317 (12.9%) post-diagnosis stress only and 270 (11.0%) both pre- and post-diagnosis stress (cumulative stress); 470 (19.1%) reported clinically important CRF. The paper concluded that financial stress may be an
	What this means for the service	targeting interventions for reducing CRF towards survivors with financial stress, or developing strategies to reduce