

COVID 19 PROCEDURE FOR GOODS LIFT

WHERE POSSIBLE STAIRS SHOULD BE USED AS PREFERRED MODE OF TRANSPORT BETWEEN FLOORS

GOODS LIFT SHOULD ONLY BE USED WHEN LARGE ITEMS OF EQUIPMENT NEED TO BE TRANSPORTED FROM FLOOR TO FLOOR E.G. FROM STORES TO LABORATORY/OFFICE

ITEMS INCLUDE:

- TROLLEYS, LARGE PARCELS/PACKAGES, BULKY EQUIPMENT AND OTHER DELIVERIES THAT CANNOT EASILY OR SAFELY BE CARRIED UP /DOWNSTAIRS
- COMPRESSED GAS CYLINDERS
- LIQUID NITROGEN DEWARS > 2Litre capacity (SCHOOL LIQUID NITROGEN TRANSPORTATION PROCEDURE STILL APPLIES)

GOODS LIFT IS SINGLE OCCUPANCY ONLY- IF YOU SUMMONS THE LIFT AND SOMEONE IS USING IT YOU MUST STAND ASIDE AND WAIT UNTIL IT HAD BEEN VACATED BEFORE ENTERING

UPON RETURNING TO YOUR LAB OR OFFICE PLEASE ENSURE YOU WASH YOUR HANDS THOROUGHLY