

# Monitoring Report No. 135

330m SW of Ballyhill House Ballyhill Brookeborough Co. Fermanagh

AE/07/156

Ruth Logue

# Site Specific Information

Site Name: 330m south-west of Ballyhill House, Ballyhill, Brookeborough

Townland: Ballyhill

SMR No (if applicable): rath, church (site of) and graveyard - FER 213:019

State Care Scheduled  $\sqrt{}$  Other

Grid Ref: IH 3919843545

County: Fermanagh

Excavation Licence Number: AE/07/156

Planning Reference Number: L/2006/0892/O

Date of Monitoring: 20th August 2007

Archaeologist Present: Ruth Logue

Brief Summary:

Monitoring of two trial trenches excavated to subsoil to evaluate the potential impact of the proposed development on any previously unrecorded below-ground remains. Nothing of archaeological significance found.

*Type of monitoring:* Trench excavation by mechanical back-acting digger under archaeological supervision

*Size of area opened:* Two trenches: one 25m long, one 30m long, and each 1.8m wide

Current Land Use: Rough grazing

Intended Land Use: Erection of private dwelling

## Account of the monitoring

The proposed development site is located in a field in the townland of Ballyhill in County Fermanagh. The application site is just over 80m to the south-west of an enclosure, FER 213:019. The site is recorded in the NISMR as being a rath, church (site of) and graveyard. (Figure 2)

The site comprises a circular enclosure, the bank of which has been ploughed out on the north-east to south side, and which has a scarp on the remaining sides. There is no visible trace in the interior of the church. The site may be an ecclesiastical enclosure or a rath reused as a church site. There is a bullaun stone on the site which the landowner has moved to beneath a tree. (Plates 5 and 6)

An archaeological evaluation was requested to assess the potential impact of the proposed development on any hidden archaeological remains. Monitoring of trial trench excavation took place on 20<sup>th</sup> August 2007. Two trial trenches were excavated in the area requested by the Protecting Historic Monuments Casework Officer, Edith Gowdy.

Topsoil was an average of 0.2m in Trench 1 (Context 100) and lay directly on subsoil (Context 101). Topsoil was also an average of 0.2m in Trench 2 (Context 200) and lay directly on subsoil (Context 201). The trenches were aligned north-west to southeast. Trench 1 was 25m long and Trench 2 was 30m long.

No features or finds of archaeological significance were found in either of the trial trenches.

## Archive:

## Finds: N/A

*Photographs:* 6 digital photos, held in Centre for Archaeological Fieldwork offices *Plans/Drawings:* N/A





Figure 1: 1:50,000 map showing location of application site (highlighted in blue).








Plate 1: Trench 1, looking south-east.



Plate 2: Trench 2, looking south-east.



Plate 3: FER 213:019, looking north-east from application site.



Plate 4: FER 213:019, looking south-west into the interior of the enclosure.



Plate 5: Bullaun stone.



Plate 6: Bullaun stone.